## Supplementary Material for Neural Cages for Detail-Preserving 3D Deformations

Wang Yifan <sup>1</sup>	Noam Aigerman <sup>2</sup>	Vladimir G. Kin	<sup>2</sup> Siddhartha	a Chaudhuri <sup>2,3</sup>	Olga Sorkine-Hornung <sup>1</sup>
	<sup>1</sup> ETH	H Zurich <sup>2</sup> Adob	e Research	<sup>3</sup> IIT Bombay	

In the paper, we detailed two applications of our method: stock amplification and deformation transfer. In this document, we provide additional results for each application.

**Stock amplification via deformation.** In Table 1, 2 and 3 we show the entire deformation results from the *chair*, *table* and *car* categories. As mentioned in the main paper, the test sets consist of 100 pairs of unseen source and target shapes randomly sampled from ShapeNet dataset [2].



Figure 1: Visualization of the cages used in deformation transfer. Given a template source shape in a known pose with a manually created template cage (second row, left, brown), our deformation network translates the vertices of the template cage to match the source to a novel target shape in various poses (second row, blue). This cage-deformation can be transferred to a new character, provided a pose similar to that of the template source (row 3-5, left, brown). The deformed novel characters are shown in blue in row 3-5.

**Deformation transfer.** In Figure 1 we illustrate the cages used in the humanoid deformation examples. In Table 4 we provide additional results for 100 unseen target poses randomly sampled from the dataset provided by [3]. For each target pose, we show the deformed shape for the original source shape used during training as well as the transferred deformation for three novel source shapes, a woman from FAUST [1], a skeleton and a robot.

Two training variations are shown in Table 4. On the left, a rest-pose human is used as the source shape during training, whereas on the right a T-pose human is used. The first variation shows less distortion, but tends to underperform when large arm articulation is present in the target pose. The second variation shows more distortion on the arms but tends to match the articulation of the target poses slightly better, especially when the arms are up. The results illustrated in the main paper are generated using the first variation.

We think these distortions are related to the affine-invariance of MVC, and should be improved with Green Coordinates.

## Table 1: The deformation results of the chair category.

Source	Deformed	Target	Source	Deformed	Target	Source	Deformed	Target
			h	h		M		
								h
H		Ļ						
	TT					A	A	
	33 1 11		h	h	ĥ	R R R	A	H
		Π	A	A		ľ		X
					Π			
ΠŢĪ	h							h
			<b>\$</b>			<b>F</b>		h
		Π	h			h		
			2	2		h		
Continued on the next page			•   			 		
			1 	2		:   		

Continued from the last page										
Source	Deformed	Target	Source	Deformed	Target	Source	Deformed	Target		
			hi	h			T	the testar		
		T T T	h	h						
AA	RA					Π				
h	h		6	L						
-			h	h	AA	J.	×.			
			A to to to to	A A A A A A A A A A A A A A A A A A A						
		-								
PP7								h		
	K	-								
Continued on the n	ext page									
			1	3	1					

Continued from the	last page		1			1		
Source	Deformed	Target	Source	Deformed	Target	Source	Deformed	Target
				m	A			A
				h wi	2 to to top	11	177	
-			T.	REA .			H	
	Ļ		h	h				X
			F			H		
Ţ	Ý	P			S.			F
	71	and the first of the second		A	ויה	h		
					h	n	Ç,	
		h					17	

Continued from the	last page									
Source	Deformed	Target	1	Source	Deformed	Target	1	Source	Deformed	Target

Table 2: The deformation results of the *table* category.

Source	Deformed	Target	Source	Deformed	Target	Source	Deformed	Target
	Ţ	$\overline{\mathbf{x}}$			Ţ		ΠΠ	
				111	RIJ	Г	~	
		Ţ				$\overline{\mathbf{n}}$	11	Π
Π	$\nabla T$	MM	TT	TT		<b>T</b>	7	
Ţ	4	T		17				P
T	Ţ		ΠΠ			Ţ		11
	T	I	ריך			$\prod$	T	<b>T</b>
		r			RK			
ΠΠ	ΠΠ	RK	T	R		HA	Ly	77
Continued on the n	ext page		1 1			 		
			1 	5		   		
			T. C.	5		1		

Continued from the	last page		i.			1		
Source	Deformed	Target	Source	Deformed	Target	Source	Deformed	Target
ΠΠ	Π	Π	ΠΠ	$\prod \prod$	MA	T	VA	The second secon
A	X	Ţ	Γ		X	गग	<b>D</b> ri	
		MI	ΠΠ	TT	L J	ΠΠ		
APPED	ZAYASA						00	Г
	75		5	55		H	Æ	
S.	act	1	ΠΠ			ΠΠ		
		777	TEN		ΠΠ	T	T	Ţ
	T	Π					F	X
H H	N I					r		
MM	NN	Deri	E			-	11	
TT		X		TT.	-			
Continued on the n	ext page		 			 		
			1			I I		
			1	6		1		

Continued from the	last page		1					
Source	Deformed	Target	Source	Deformed	Target	Source	Deformed	Target
	River			AN AN	-		X	Π
	Di vi	T		ΠΠ	RR			
BE	H			U	FI			
	11					RPA	AM	ΠΠ
	F		T					
		HE				FF		
P		TT	T			RK		
	•	ΠΠ	ΠΠ	ΠΠ	ΠΠ			$\prod 1$
ΠΠ	ΠΠ	ГI	51 12	11.5				ΠΠ
	H	T	P		ΠΠ		TA	T
	7	T	F	1 14.1	9-1			Ha
Continued on the ne	ext page		1					
			1					
			l i	7				

Continued from the	Continued from the last page										
Source	Deformed	Target	' Source	Deformed	Target	' Source	Deformed	Target			
		E	I		ΠU	M	771				
ΠΠ		T	Π	ΠΠ	FI		1777	TTT			
11	Ţ	Ţ									

Table 3: The deformation results of the *car* category.



1

1

Continued from the	ontinued from the last page										
Source	Deformed	Target	Source	Deformed	Target	Source	Deformed	Target			
a contraction of the second se											
					Come of the second seco						
a and a second					C						
	a a a										
				and the second s							
a		A.									

T.

T T

Т

Т

I.

Т

Т

Continued from the	ontinued from the last page										
Source	Deformed	Target	Source	Deformed	Target	Source	Deformed	Target			
							N				
1				a contraction of the second se			Contraction of the second				
	0	STATISTICS IN									
A CIT								Sterre Brown			
					a contraction of the second se						
	a second										
all see	a free				Cores	8					
	A Com										
		at the						all of the second			
a Co						Contraction of the second					
						200					

T.

T T

Т

Т

I.

Т

Т



Table 4: Additional results for humanoid deformation and deformation transfer to new characters. The target poses are shown on the left in green, the template source (fixed during training) and the novel new sources are shown on the top in brown. We exhibit two training results, using a rest pose template source and using a t-pose template source, shown on the left and right half of the table respectively.



Continued from the last page

target	training source		novel sources		training source		novel source	
	Ń	Ŕ		俞		N		
	Ŕ	T	R	A.	Ň	R		
N.	Ŷ				Ŵ			
<b>A</b>	Ŕ	<b>A</b>		1	Ŷ	<b>A</b>		
Ň	Ŕ	Ŕ		Ŷ	Ŵ	Ŕ		
M.	5	Pr .	A	<b>*</b>	M.	<b>M</b>		
Ť	T	T	-			Ť	- MA	×.
11	11	11	15	æ 77	11	46	51	82
Ň	Ň	Ť		Ť	Ń	Ť	Ň	Ŕ
No.	Ŷ	No.		1 and a second s	Ŷ	ŕ	M	
	Ŵ	<b>N</b>			<b>N</b>	(		
K	Ń	- C	A A A A A A A A A A A A A A A A A A A	- C	K	R		
Continued on the n	ext page							
	I							

1 Т 

Т 1

Continued from the last page

target	training source		novel sources		training source		novel source	
		Ŕ				N		
N	Ŕ	Ŕ		Å	Ń	Ň		
	Ň	Ŕ				<b>N</b>		
T	X	X		X	T	T	- M	No.
Ŕ	Ń	Ŕ		Ŕ	Ń	Ŕ		
Î	Ń	Ŕ		Ť	Ť	Ĩ		
Ń	Ń	Ŕ			N	R		
R	Ŕ	R	A A A A A A A A A A A A A A A A A A A	X	Ŕ	Ŕ		
Ŕ	Ŕ	R		Ŕ	Ř	R		
Ŕ	Ŕ	Ŕ	Å	Å	Ř	Ŕ	i	
Ŕ	Ŕ	Ŕ	Å	Â	Ň	R	Ŕ	

T

I

T T

Continued from the last page

target	training source		novel sources		training source	-	novel source	
	Ń	Ň		Ť		N		
	Ń	Ŕ		Â	Ŵ	Ŕ		
	Ŷ	Ŕ			Ŵ	Ŷ		
	<b>N</b>	<b>A</b>			<b>N</b>			
Ŵ	Ŵ	Ŷ		Ť	Ŵ	Ŕ		
Ŵ	Ň	Ŕ		Â	Ň	Ŕ	A	
N	Ň	Ń		Ť	Ň	Ŕ	A	
X	×	×	No.		Å			
齐	齐	×	杰	R	六	A	And And	Å
	Ň	Ŕ		Â	Ň	Ř		
N	Ń	Ŕ		Ť	Ń	Ŕ		
Continued on the ne	ext page							
				14				

Continued from the last page

target	training source		novel sources		training source		novel source	
	Ń	Ŕ				N		
Ŕ	Ŵ	Ŵ		*	Ŵ	Ŵ		
T	T	T	A		T	T	J.	
	Ň	No.		Î	Ĩ			
P	Ŕ	Ŕ		<b>A</b>	Ń	R	Â	
	<b>N</b>					Ň	A.	
ĸ	Ŕ	X	K	X	X	Ŕ	A Real	
T	Ŕ	Ŕ	A.	R	Ň	Ŕ	A	
Ň	Ň	於	Å	T	Ň	Ř	The second se	Î
Ñ	Ŕ	Ŕ		Â	Ŕ	R		
ħ	Ŕ	Ň	÷.	Ř	Ň	Ŕ	R	

T

I

T T

Continued from the last page

target	training source		novel sources		training source		novel source	
	Ń	Ŕ		Â	Ň	N		
Ŷ	Ŷ	ŕ			Ŷ	No.	A Company	A Contraction
	Ŕ	Ŕ		Â	Ŵ	Ň		
Ý	Ŷ	Ť	AND	-	Ŷ	Ť		<b>R</b>
Ŷ	Ŷ	Y		Ŷ	Ŷ	Ŷ	Ŷ	
Ŕ	Ŕ	in the second se		R	Ň	Ŕ	A	
Ŕ	Ŕ	Ř			Ŕ	Ŕ	余良	
		<b>N</b>		ĥ	Ť	<b>N</b>		
X	X	X	X	T.	X	X		
R	Ň	Ř		R	Ň	ř		
	Ŕ	Ŕ		Ŕ	Ň	Ŕ		

1

 Т

T T

T

Continued from the last page

target	training source		novel sources		training source		novel source	
	Ń	Ŕ		Ŷ		N		
Ň	Ŕ	Ŕ		Ŧ	Ŵ	Ŕ		
Ŕ	Ŕ	Ŕ		Â	Ŕ	Ŕ	(1)	
Ń	Ń	Ŕ		Â	Ń	Ŕ	R	
ĸ	Ň	and a		K	X	Ŕ	Ar A	
Ŵ	Ŵ	Ŕ		Â	Ŵ	Ŕ		
Ń	Ŕ	Ŕ		ĥ	Ń	Ŕ		
Ŵ	Ń	Ŕ		<b>A</b>	Ŵ	A A		
Ň	Ŕ	Ŕ	K	R	Ŕ	R	A	
R	Ŕ	Ŕ		Å	Ŕ	Ŕ		
Ŕ	Ŕ	Ŕ		Å	Ŕ	Ŕ		

T

I

T T

Continued from the last page

target	training source		novel sources		training source		novel source	
	Ń	Ŕ		Â		N		
R	K	Ň	A		T	n	A	Ť
No.	Ň	1 Alexandre			<b>N</b>	<b>R</b>	Å	
Ŷ	Ŷ	Ŵ		Ť	Ŷ	Ŷ		
X	X	X	and the second sec	X	X	X	the state	Se la
	<b>P</b>	<b>A</b>		-	Ŵ	Þ		
Ŷ	Ŷ			Ŕ	Ŷ	Ŷ		
	Ŕ	Ŕ		Å	Ŵ			
	Ň	Ŕ		R	Ň	Ň		
N°	Ŷ	No.	A CONTRACTOR	-	Ŷ	ŕ	ANS -	
A.	Ń	Ŕ		춖	Ŵ	Ŕ		

T

I

T T

Continued from the last page

target	training source		novel sources	1	training source		novel source	
	Ń	Ŕ		Ť	Ň	Ň		
	Ń	Ĩ		Ĩ	Ń	Ĩ		
R	Ŕ	<b>A</b>	A Star	A	<b>A</b>	<b>A</b>		
T.	Ŷ	<b>P</b>	Y		Ŷ	Ŷ	No.	<b>R</b>
	Ŵ				Ŵ	Ì		
(T)	Ń	Ŵ			Ŵ	Ŕ		
	<b>N</b>	R		<b>F</b>	<b>N</b>	E		
Ŕ	E'	Ŕ			Ŕ	R		
Ň	<b>N</b>	1 Alexandre			<b>N</b>	()		
<b>F</b>	Ŷ	<b>N</b>			Ŵ	Ŷ		
R	Ŕ	R		A	Ŕ	Ř		

T

L

19

T T

Continued from the last page

target	training source		novel sources		training source		novel source	
	Ń	Ŕ		Â	Ň	N		
Ň	Ń	Ŕ		Â	Ŵ			
	Ŵ			Ŷ				
Ň	Ň	Ŕ		余	Ň	Ŕ	R	
Ŵ	Ŕ	Ŕ		Å	Ň	R		R
Ŕ	Ŕ	Ŕ	A		Ŕ	Ŕ	A	
N	Ŵ	Ŕ			<b>N</b>	Ŕ		
Ŵ	Ŕ	<b>A</b>		Â	Ŵ			
K	Ň	Ŕ		×	X	X	A	
Ŕ	Ŕ	Ŕ		Å	Ŕ	Ř	R	
Å	X	Ŕ		*	T	X	A	



## References

- [1] Federica Bogo, Javier Romero, Matthew Loper, and Michael J Black. FAUST: Dataset and evaluation for 3D mesh registration. In *CVPR*, pages 3794–3801, 2014.
- [2] Angel X. Chang, Thomas Funkhouser, Leonidas Guibas, Pat Hanrahan, Qixing Huang, Zimo Li, Silvio Savarese, Manolis Savva, Shuran Song, Hao Su, Jianxiong Xiao, Li Yi, and Fisher Yu. ShapeNet: An information-rich 3D model repository. Technical Report arXiv:1512.03012 [cs.GR], 2015.
- [3] Thibault Groueix, Matthew Fisher, Vladimir G Kim, Bryan C Russell, and Mathieu Aubry. 3D-CODED: 3D correspondences by deep deformation. In *ECCV*, 2018.